



**3D EMBOSSED
ACOUSTIC
PANEL**



continuum




continuum

continuum

















continuum




continuum





continuum



continuum



continuum



continuum



continuum



continuum



continuum






continuum




continuum




continuum




AIRIS




NOVA




GEM



ASTRA




ORB




BRICK


continuum




BRIDGE 25



BRIDGE 50




BRIDGE 18



MIX WAVE




WAVE C



WAVE G


continuum



QUADRA




ION




HALO




WAVE F




WAVE S



WAVE A




HELIX




HIVE




TESSERA




VERTEX




PIXEL




TRIKOT



FLOWER




NEXES




FLOW



BLOOM



EDEN



OSA






continuum






continuum






continuum



continuum



continuum



continuum

SPECIFICATIONS

COMPOSITION

Recycled Polyester Fibre

USE

Wall Claddings / Clilings

ADVANTAGES

Reduces Echo & Reverberation

THICKNESS

10 mm \pm 1mm

SIZE

CCP

2400 mm x 1180 mm \pm 3mm

PRISM

2750 mm x 1180 mm \pm 3mm

FELT TOP

2750 mm x 1000 mm \pm 3mm

NRC

up to 0.9

***Slight colour variation may occur from batch to batch.**

continuum



SOUND ABSORPTION



LIGHT WEIGHT & FLEXIBLE



EASY INSTALLATION



RECYCLED MATERIAL



ECO FRIENDLY

HEAD OFFICE

282/2242, Motilal Nagar No 1
Goregaon (W), Mumbai 400104
India.

CONTACT

T: +91 9820100443
+91 8424021620

CONNECT

E: info@thecontinuum.co.in
W: thecontinuum.co.in

continuum