



# Genesis

For the Perfect Finish



# For the Perfect Finish...

Established in 1989 in the ceramic accessories market, Genesis quickly became a leading brand in the UK and around the world. Exporting since 1990 and now available in over 70 countries.


Since then we have diversified the range into the contract flooring, resin, landscaping and entrance matting sectors.

WELCOME TO GENESIS....




# Genesis

For the Perfect Finish




## Metal Trim

Page 4



## Commercial Nosing

Page 16



## VISION

Page 18



## Transitions

Page 19



## Movements Joints

Page 20



## Tools

Page 21




## Marketing

Page 26



## Technical Portfolio



Page 29



# Metal Trim Square



## Aluminium Square Trim & Corners



A revolutionary and versatile profile. An alternative to an ordinary straight edge or L angle Aluminium Profile, the TDP offers a more luxurious finish to any edge. It can be used as an edge trim on the vertical with wall tiles or on the horizontal with Floor tiles or even as a feature strip in wall or floor applications. The extruded Aluminium profile gives a square appearance when installed and is also available with internal and external corner pieces (EDP) to obviate sharp edges when mitring is necessary.

Anodised finishes are supplied with a transparent protective film offering protection during transport, storage, simply peel off after installation.




Code	W x D (mm)	Length (m)	Finish	Box Qty
TDP100	10 x 10	2.5	01,17,81,86,90,91,94,95,96,411,414,424,435	20
TDP120	10 x 12	2.5	01,17,81,86,90,91,94,95,96,411,414,424,435	20

### Universal Corner Pieces - EDP

Produced from Machined Aluminium to ensure a perfect finish to compliment the profile.

Code	D (mm)	Finish	Pack Qty
EDP102	10	01,17,90,91,94	2
EDP122	12	01,17,90,91,94	2




Metal Trim



## Aluminium Internal Square



91  
Bright Silver



Code	W x D (mm)	Z (mm)	Y (mm)	Length (m)	Finish	Box Qty
EIK100	11 x 10	31	3	2.5	91	20
EIK120	13 x 12	33	3	2.5	91	20

### End Caps


Code	D (mm)	Finish	Pack Qty
ECK102	10	91	2
ECK122	12	91	2

## Aluminium Round Edge



91  
Bright Silver


86  
Bright Brass



Code	D (mm)	Z (mm)	Length (m)	Finish	Box Qty
ERA100	10	22	2.5	86,91	20
ERA120	12	24	2.5	86,91	20

# Metal Trim Round

## Aluminium Quadrant Trim & Corners



An extruded aluminium profile with a fully rounded quadrant face designed to protect the edges of ceramic tiles or similar hard finishes fitted in wall or floor installations. Available in a wide range of heights and finishes with corresponding Internal and External Aluminium corners avoiding the unsightly and exposed 45° cuts.

Code	W/D (mm)	Length (m)	Finish	Box Qty
EAQ100	10	2.5	01,16,81,86,91,94,95,96	20
EAQ120	12	2.5	01,16,81,86,91,94,95,96	20

Solid Brass available upon request - lead times and MOQ's apply.




### Corner Pieces

Produced from Machined Aluminium to ensure a perfect finish to compliment the profile.

External Corners			
Code	D (mm)	Finish	Pack Qty
EAC102	10	01,16,81,86,91,94,95,96	2
EAC122	12	01,16,81,91,94,95,96	2





## Aluminium Straight Edge & Formable Trim



A comprehensive range of profiles designed to protect corners avoiding the unsightly and fragile 45° cut. The defined square edge clearly outlines coverings such as rectified porcelain stoneware. Available in different materials, colors and finishes, these profiles offer a practical and aesthetic solution, ideal for walls and floors.


Anodised finishes are supplied with a transparent protective film offering protection during transport, storage, simply peel off after installation.

Code	D (mm)	Length (m)	Finish	Box Qty
ESA100	10	2.5	01,16,17,81,86,90,91,94,95,96	20
ESA120	12	2.5	01,16,17,81,86,90,91,94,95,96	20



# Metal Trim Angle

## Aluminium Angle Trim & Corners



These unique profiles offers a attractive professional finish to cermic tiles, the specially engineered triangular shape of these trims provide outstanding strength and protection for tiled edges and corers.

All are supplied with a transparent protective film offering protection during transport, storage, simply peel off after installation.

Code	D (mm)	Length (m)	Finish	Box Qty
EAT100	11 x 10	2.7	91,94	20
EAT120	13 x 12	2.7	91,94	20

91  
Bright Silver

94  
Brushed Effect



**PROTECTIVE  
FILM**



### Corner Pieces


Produced from Machined Aluminium to ensure a perfect finish to compliment the profile.

#### External Corners


Code	D (mm)	Finish	Pack Qty
EET102	10	91,94	2
EET122	12	91,94	2

#### Internal Corners

Code	D (mm)	Finish	Pack Qty
EIT102	10	91,94	2
EIT122	12	91,94	2



## Aluminium Self Adhesive Internal Trim, Corners & Caps



Aluminium Internal Trim applied retrospectively secured into position with the pre-bonded adhesive tape, simply remove the carrier and apply to the prepared area.


Ideal not only for internal corners but also floor and worktop applications, a range of complimentary accessories complete the perfect finish.

Code	D (mm)	Length (m)	Finish	Box Qty
EWA150	15	2.5	91	20

### Corner Pieces & End Caps

The fabricated aluminium corners and caps with integral guide arms that help locate and guide into the profile, producing a perfect match to the EWA profile offering a neat and professional finish.

Code	D (mm)	Type	Finish	Pack Qty
EWI150	15	Internal Corner	91	2
EWE150	15	External Corner	91	2
EWC150	15	End Caps	81,91	2




91  
Bright Silver

# Metal Trim Dividing Strips



## Stainless Steel Dividing Strip (Grade 430)



Code	W x D (mm)	Length (m)	Finish	Box Qty
EDS147	20 x 9	2.5	84,102,187,195	10

102  
Brushed



187  
Gold



195  
Copper




84  
Stainless Steel

## Aluminium Dividing Strip



80  
Mill Aluminium



86  
Bright Brass



91  
Bright Silver



95  
Bright Copper



96  
Brushed Copper




Code	W x D (mm)	Length (m)	Finish	Box Qty
EDA510	5 x 10	2.5	80,86,91,95,96	20
EDA310	3 x 10	2.5	86,91	20

## Aluminium Dividing Strip




91  
Bright Silver



81  
Matt Silver



86  
Bright Brass



95  
Bright Copper




96  
Brushed Copper



Code	W x D (mm)	Length (m)	Finish	Box Qty
EDA147	14 x 8	2.5	81,86,91,95,96	20

## Stainless Steel Quadrant Trim & Corners



### Stainless Steel Quadrant Trim - Grade 304

Code	W/D (mm)	Length (m)	Finish	Box Qty
ESQ100	10	2.5	84,102	10
ESQ120	12	2.5	84,102	10

84 Stainless Steel      102 Brushed



**PROTECTIVE FILM**  
EXCL. 102





### Corner Pieces - Grade 304

Corner pieces to compliment the ESQ stainless steel square edge trims.




Code	D (mm)	Finish	Pack Qty
ECQ102	10	84,102	2
ECQ122	12	84,102	2

## Glass Panel / Shadow Gap



91  
Bright Silver





Code	D (mm)	Length (m)	Finish	Box Qty
LGA100	10	2.5	91	10
LGA125	12.5	2.5	91	10

# Metal Trim Stainless Steel



## Stainless Steel Straight Edge Trim



This Stainless Steel profile should be chosen where high levels of hygiene are sought, such as food processing industries, breweries, dairies and hospitals.

These profiles offer superb resistance to principal chemical and atmospheric agents and are particularly recommended to protect steps in zones such as food processing industries, breweries, dairies, hospitals and external applications.

It's smooth and non-porous surface makes it especially difficult for the adhesion and survival of bacteria and/or other micro-organisms.

### Stainless Steel Straight Edge Trim - Grade 304

Code	D (mm)	Length (m)	Finish	Box Qty
ESS100	10	2.5	84,102,187,195	10
ESS120	12	2.5	84,102,187,195	10




84  
Stainless Steel


102  
Brushed

187  
Gold

195  
Copper



## Stainless Steel Square Trim & Corners



This Stainless Steel profile should be chosen where high levels of hygiene are sought, such as food processing industries, breweries, dairies and hospitals.

These profiles offer superb resistance to principal chemical and atmospheric agents and are particularly recommended to protect steps in zones such as food processing industries, breweries, dairies, hospitals and external applications.

Its' smooth and non-porous surface makes it especially difficult for the adhesion and survival of bacteria and/or other micro-organisms.

### Stainless Steel Square Edge Trim - Grade 304

Code	W x D (mm)	Length (m)	Finish	Box Qty
EQQ100	10 x 10	2.5	84,102,187,195	10
EQQ120	12 x 12	2.5	84,102,187,195	10

### Corner Pieces - Grade 304

Corner pieces to compliment the EQQ stainless steel square edge trims.



Code	D (mm)	Finish	Pack Qty
EDQ102	10	84,102,187,195	2
EDQ122	12	84,102,187,195	2



# Metal Trim Listello



## Stainless Steel Listello (Grade 430)



Code	W x D (mm)	Length (m)	Finish	Box Qty
LPS50	5 x 8	2.5	84,102,187,195	10
LPS100	10 x 8	2.5	84,102,161,187,195	10





## Flat Line Listello



Code	D (mm)	Length (m)	Finish	Box Qty
LFA100	10 x 8	2.5	86,91,94	20



## Stainless Steel Retro-Fit Protector - Self Adhesive (Grade 430)




Code	W x D (mm)	Length (m)	Finish	Box Qty
EAS154	15 x 15	2.5	84,102,187,195	10




**NEW** 195 Copper




## Aluminium Retro-Fit Protector



91 Bright Silver





Code	W x D (mm)	Length (m)	Self-Adhesive	Finish	Box Qty
EAA100	10 x 10	2.5	Yes	91	20
EAA206 <b>NEW</b>	20 x 20	2.5	No	91	20



# Commercial Nosing




## Slimline Aluminium





The NSL Profile comprises of an aluminium channel with a choice of insert material designed to meet the guidance in Approved Document M and BS8300:2009+A1:2010. It is a straight edge, single channel profile and is ideal for use with resilient flooring.

Designed to meet the guidelines in BS8300:2009+A1:2010.

Code	W x D (mm)	Length (m)	Finish	Box Qty
NSL15	66 x 32	2.46	16	10



## Slimline Aluminium - Silicone Carbide Insert




This NSL Profile is designed to be used in most commercial and industrial applications with a external grade silicone carbide insert offering outstanding slip resistance and durability. The Channel is anodised Matt Silver AA15 to prevent oxidisation and to ensure the longevity of the installation


Designed to meet the guidelines in BS8300:2009+A1:2010.

In addition to the function of step edge protection the **Aluminator**<sup>®</sup> offers an easy, energy efficient solution to illuminate steps. Should a local or emergency power failure occur on stairways, increasing the risk of hazard for evacuees, the **Aluminator**<sup>®</sup> system allows the evacuee to orientate, locate stair edges and risers, and so assist in the safe evacuation of the premises.

Code	W x D (mm)	Length (m)	Finish	Box Qty
NSL23300	68 x 33	3	16	10
AHD23300	68 x 33	3	16	10



## Vision - Step



Code	D x X (mm)	Length (m)	Finish	Description	Box Qty
NLD908	9 x 20	2.8	81	Channel	10
NLD118	11 x 22	2.8	81	Channel	10
<b>End Caps</b>					
NPC100	10		81	End Caps	10

## Vision - Skirting



Code	W x D (mm)	Length (m)	Finish	Description	Box Qty
KLD118	100 x 11	2.8	81,94	Channel	10
<b>End Caps</b>					
NPC100	10		81,94	End Caps (pair)	10

## Vision - MultiFix




Code	D (mm)	Length (m)	Finish	Description	Box Qty
TLD108	10	2.8	81	Channel	10
TLD128	12	2.8	81	Channel	10
<b>End Caps</b>					
TUC100	10		81	End Caps (pair)	10

## Vision - Guidance System



Code	D (mm)	Length (m)	Finish	Description	Box Qty
TUD118	17 x 11	2.8	81	Channel	10
<b>End Caps</b>					
TUC100	10		81	End Caps (pair)	10


## Aluminium Tile-In Bullnose




81  
Matt Silver

Code	D (mm)	Length (m)	Finish	Box Qty
NAT105	10	2.6	81	20
NAT125	12	2.6	81	20

## Aluminium Self Adhesive Retro-Fit



81  
Matt Silver



83  
Matt Brass

Code	W x D (mm)	Length (m)	Finish	Box Qty
NAS207	30 x 20	2.7	81,83	10


## Eurocover Strip



81  
Matt Silver




91  
Bright Silver




83  
Matt Brass

Code	W x D (mm)	Length (m)	Finish	Box Qty
CAS407	37 x 3	2.7	81,83	10


## Self Adhesive - Ramp



81  
Matt Silver



91  
Bright Silver




83  
Matt Brass

Code	W x D (mm)	Length (m)	Finish	Box Qty
TAS107	43 x 10	2.7	81,83,91	10


# Movement Joints

## P.V.C. Movement & Perimeter Joint - Thin




16  
Black

35  
Dark Grey




Notch to make leg removable


Code	D (mm)	Length (m)	Infill Finish	Box Qty
MLT100	10	2.5	16,35	25
MLT125	12.5	2.5	16,35	25



## Optimax Aluminium Heavy Duty



The use of Santoprene as a movement accommodation material offers an outstanding flexibility, chemical and weathering resistance, in addition the tensile strength is a contributing factor to the durability; the anchoring angles are Aluminium grade 6063 T6, which is heat treated to increase tensile strength.



16  
Black

35  
Dark Grey

Code	D (mm)	Length (m)	Infill Finish	Box Qty
MSA100	10	2.5	16,35	10
MSA125	12	2.5	16,35	10



# Genesis

For the Perfect Finish

---

Tel: +91 0487 2355 577 Email: [sales@genesis-gs.in](mailto:sales@genesis-gs.in)

[www.genesis-gs.in](http://www.genesis-gs.in)

Genesis Profile Systems (India) PVT. Limited  
SURYA WAREHOUSE, Door Nos. 21/562-B & 21/562-C  
Marathakkara Village, Thrissur, Kerala 680306

---

#### **UK Head Office**

Genesis Global Systems Ltd  
Stokesley Business Park, Stokesley  
North Yorkshire, TS9 5JZ  
Tel: +44 (0)1642 713000 Email: [info@genesis-gs.com](mailto:info@genesis-gs.com)  
[www.genesis-gs.com](http://www.genesis-gs.com)

#### **Colombia**

Genesis LatAm S.A.S  
Calle 162 No 16C-32, Orquideas  
Bogotá, 110131, Colombia  
Tel: +57 (1) 805 1235 Email: [ventas@genesis-latam.com](mailto:ventas@genesis-latam.com)  
[www.genesis-latam.com](http://www.genesis-latam.com)